

INDEX MAPS.

T. 36 N. R. 2 E. 2nd Mer.

157 6	5	4	3	2	1	148-
157 7	Road		Land		12	148-
151 18	157 17	16	15	14	13	148 150
158	157				161	
151 19	156 20	164 21	163 22	23	160 24	148 150 Road Lands
156	155	164	163	162	160	
151 30	155 29	153 28	162 27	26	160 25	148 150
154	154	153	161		159	
152 31	154 32	152 33	34	35	159 36	148 150
147	147	147			159	

T. 37 N. R. 2 E. 2nd Mer.

Meanders - 193

169	169	170	170	170	171	
172 6	188 5	184 4	181 3	177 2	173 1	167
187	188	185	181	178	174	
172 7	189 8	185 9	181 10	178 11	175 12	167
190	189	185	182	178	175	
172 18	190 17	186 16	182 15	179 14	175 13	167
191	190	186	182	179	176	
172 19	191 20	186 21	182 22	179 23	176 24	168
191	191	186	183	180	176	
173 30	192 29	187 28	183 27	180 26	177 25	168
192	192	187	183	180	177	
173 31	193 32	188 33	184 34	181 35	177 36	168
						Road Lands

The figures on the lines refer to the page.

Township N 36. North of Range N 2 East 2nd Mer. Ind. ¹⁴⁷

South Boundary.

From the S. W. Cor. of Sec. 34. T. 36. N. R. 2 E.

Surveyed for Michigan Road Land.

West On South Boundary of Sec. 33.

15. 74. A W. Oak 18. in. diam.

17. 50. To Swamp.

23. 00 Lease Tr.

40. 00 Set a q^r Sec. post from which a

W. Ash 18. in. diam. bears N. 21 $\frac{1}{2}$ E. 37. links dist. & a

B. Oak 36. " " " N. 72 W. 17. " "

59. 50. A Trail. Cor. N. E. On Teams have passed.

74. 05. A Sugar 10. in. diam.

80. 00 Set a post Cor. to Sec. 32. & 33. from which a

Buck 10. in. diam. bears N. 15 $\frac{1}{4}$ E. 40. links dist. and a

Do. 6. " " " N. 56 $\frac{3}{4}$ W. 42. " "

Land rolling. soil good. First p. broken by small swamps.

& Timbered mostly with Oak. Last p. Sugar. Buck. Lyrus. Poplar &c.

West On South Boundary of Sec. 32.

24. 62. A W. Oak 14. in. diam.

40. 00 Set a q^r Sec. post from which a

Ironwood 7. in. diam. bears N. 68 $\frac{1}{2}$ W. 27. links dist. & a

W. Oak 8. " " " N. 82 $\frac{1}{2}$ E. 50. " "

58. 19. A W. Ash 20. " "

80. 00 Set a Post Cor. to Sec. 31. & 32. from which a

Buck 8. in. diam. bears N. 26. E. 30. links dist. & a

Do. 6. " " " N. 83. W. 9. " "

Land &c. similar to the last p. of last mile. small swamps.

N. & S. of the line.

West On South Boundary of Sec. 31.

18. 06. An Elm 19. in. diam.

40. 00 Set a q^r Sec. post from which a

Sugar 23. in. diam. bears N. 60 $\frac{1}{2}$ E. 20. links dist. & a

Buck 9. " " " N. 52 W. 32. " "

00. 48. A Buck 10. in. diam.

T. B. N. B. 2. E. 2nd Mer. Indiana.

71. 00 Channel of a Brook 20 links wide. Cor. N. E. some water standing.
 79. 08. Intersect the West Boundary at the end of 6 miles or 63 links. where
 a Sugar 12 in. diam. bears S. 4 1/2 E. 2 3/4 links dist. & a
 To 9. . . . North 9. . . .
 Land rolling & good. Buck & Sugar Timber.
 Cor. 5. is as found by tracing a part of the S. Bound. of Sec 34.

Surveyed by
 Robert Clark Junr. D. 9.

East Boundary.

- North On a Random On East Boundary of Sec. 35. Jan. 5. 55.
 28. 50 Leave S. Prairie
 40 00 Set temp. 1/4 Sec. post.
 50. 00 Set " Post Cor. to Sec. 25. & 36.
 Land level & 2nd rate. Timber. Oak Ash & Elm. Underg.
 Dogwood & Ironwood.

- North On a Random On East Boundary of Sec. 25.
 40. 00 Set temp. 1/4 Sec. post.
 52. 00 Enter swamp Prairie.
 71. 00 Leave it.
 80. 00 Set a temp. Post Cor. of Sec. 24. & 25.
 Land as before.

- North On a Random On East Boundary of Sec. 24.
 37 50 Enter S. Prairie.
 40. 00 Set a temp. 1/4 Sec. Post.
 46. 00 Leave S. Prairie.
 50 00 Set a temp. Post Cor. to Sec. 13. & 24. in the edge of a
 Miller swamp. Land some Rolling & 2nd rate. Timber
 Oak. Elm. Poplar. & Ash. Underg. Spice & Ironwood.

- North On a Random On East Boundary of Sec. 13.
 5. 00 Left Miller Swamp.
 40. 00 Set a temp. 1/4 Sec. post.
 50. 76 A Trail. Cor. N. W.

T. 36. N. R. 9. E. 2nd Mer. Indiana. 149

80. 00 Set a temp^o Post Cor to Sec. 12. N. 10.
Land & Timber same as last mile

North On Random on East Boundary of Sec. 12.

38. 70 A Stream 12 links wide. Cor. S. W.

40. 00 Set a temp^o $\frac{1}{4}$ Sec. post.

50. 00 Set a temp^o Post Cor to Sec. 1. N. 12.

Land level & 2nd rate. Timber as before

North On Random On East Boundary of Sec. 1.

40. 00 Set a temp^o $\frac{1}{4}$ Sec. post.

80. 02 $\frac{1}{2}$ Intersect the line 9. links West of the Post. Cor. to T. 36.
R. 9. Ranges. 2 & 3. East.

Land rolling & 1st rate. Timber. Buck. Ash. Walnut. Sugar.
& Poplar. Undergrowth. Spice & Sugar.

South On True line On East Boundary of Sec. 1.

14. 63 A Buck 28. in. diam.

40. 01 $\frac{1}{2}$ Set a $\frac{1}{4}$ Sec. post at acc. dist. from which a
Elm 16. in. diam. bears S. 56. W. 28 links dist. & a
Sugar 21. " " " N. 47. E. 6. " "

47. 47 A Ironwood 6. in. diam.

69. 69 A Sugar 12. " "

80. 02 $\frac{1}{2}$ Set a post Cor to Sec. 1. N. 12, from which a
Buck 7. in. diam. bears N. 11. W. 25 links dist. and a
Do 18 " " " S. 57. W. 27. " "

South On True line On East Boundary of Sec. 12.

25. 25 A Buck 26. in. diam.

46. 00 Set a $\frac{1}{4}$ Sec. post from which a
Hackberry 8. in. diam. bears S. 77. W. 8 links dist. & a
Elm 27. " " " N. 33. W. 37. " "

77. 57 A Buck 23. " "

80. 00 Set a Post Cor to Sec. 12 N. 13. from which a
Buck 22 in. diam. bears N. 56. W. 14 links dist. & a
Elm 6. " " " S. 34. W. 22. " "

T36. N. R. 2. E. 2nd Mer. Indiana

South On East Boundary of Sec. 13. On True line.

33. 95 A W. Walnut 10. in. diam.

40. 00 Set a $\frac{1}{4}$ Sec. post. from which a

B. Ash 12. in. diam. bears N 24. W. 17. links disty & a

Lynn 12. " " " S. 32. W. 8. " "

73. 21 An S. Ash 10. in. diam.

80. 00 Set a Post Cor. to Sec. 13. & 24. from which an

Elm 17. in. diam. bears N. 57. W. 16. links disty & a

Poplar 21. " " " S. 31. W. 23. " "

South On East Boundary of Sec. 24. On True line.

34. 27. A W. Oak 8. in. diam.

40. 00 Set a q^r Sec. post in small Prairie. from which a

W. Oak 8. in. diam. bears North 5. 71. links disty and a

Maple 24. " " " S. 1. E. 2. 67. " "

76. 84 A Do. 5. " "

80. 00 Set a Post Cor. to Sec. 24. & 25. from which an

Elm 15. in. diam. bears N. 30. W. 43. links disty and a

Do. 18. " " " S. 61. E. 38. " "

South On True line On East Boundary of Sec. 25.

38. 12. A Buck 12. in. diam.

40. 00 Set a q^r Sec. post from which a

W. Oak 10. in. diam. bears N. 61. E. 20. links disty & a

" Do. 12. " " " S. 52. W. 20. " "

78. 14 A Hickory 10. in. diam.

80. 00 Set a post Cor. to Sec. 25. & 30. from which an

Shunwood 6. in. diam. bears N. 15. W. 24. links disty & a

Hickory 20. " " " N. 75. W. 77. " "

South On True line on East Boundary of Sec. 30.

38. 70 A Dogwood 5. in. diam.

40. 00 Set a $\frac{1}{4}$ Sec. post from which a

Dogwood 4. in. diam. bears N. 15. W. 9. links disty & a

Buck 20. " " " S. 84. W. 49. " "

59. 50. An Aspin 24. in. diam.

80. 00 Set a Post Cor. to Towns 35. & 36. N. E. 283. 9. links East

of the Temp^o Post & raised a mound.

Surveyed by
David Willis D. G.

West Boundary

Run this line at Random at a Bdr. of 6.10. E. at the end of
3. miles & 79.30. links Intersected 301. links West of the Cor. of
Sec. 7. T. 36. N. R. 2. E. So corrected the whole line South.
South On East Boundary of Sec. 13. T. 36. N. R. 1. E.
39.30 Set a $\frac{1}{4}$ Sec. post from which a
W. Oak 14. in. diam. bears S. 13. W. 23. links disty and a
" Do. 17. " " " N. 59. W. 20. " "
50.04. A W. Oak 14. " "
79.30. Set a Post Cor. to Sec. 13. & 24. from which a
W. Oak 23. in. diam. bears S. 23 $\frac{1}{2}$ W. 28. links disty & a
Hickory 9 " " " N. 21 $\frac{1}{2}$ W. 28. " "
Land hilly & poor. Barrens, except the last 500. low thick Timber

South On East Boundary of Sec. 24. T. 36. N. R. 1. E.
1.29. A Hickory 13. in. diam.
40.00 Set a $\frac{1}{4}$ Sec. post & Enter Marsh, from which a
W. Oak 13. in. diam. bears S. 78. W. 45. links disty & a
Poplar 13. " " " N. 79 $\frac{1}{2}$ W. 26. " "
55.00 A Brook 8. links wide. Crs. S. W. Clear & pure water.
Brisk Currents.
58.00 A Brook 3. links wide. Crs. West
65.00 Leave the Marsh.
80.50 Set a Post Cor. to Sec. 24. & 25. from which a
Beech 17. in. diam. bears S. 40. W. 29. links disty and a
B. Oak 40 " " " N. 42 W. 12. " "
To Marsh. Land hilly. thickly timbered Oak. Land.
Even to rolling, good soil. Timber. Poplar. Elm. Beech.
Lynn. &c.

South On East Boundary of Sec. 25. T. 36. N. R. 1. E.
9.55. A Lynn 20. in. diam.

T. 36. N. R. 2. E. 9th Mer. Indiana.

41. 00 Set a $\frac{1}{4}$ Sec. post from which a
 W. Ash 16. in. diam. bears N. 18. W. 41. links dist. & a
 Elm 9. " " " S. 86. W. 20. " "
44. 15 A Buck 7. in. diam.
46. 50. A Brook 20. links wide. Cor. West. Pure water. British Current.
80. 00 Set a Post Cor. to Sec. 25. & 30. from which a
 Hickory 9. in. diam. bears S. 33. W. 32. links dist. & a
 Buck 16. " " " N. 89. W. 30. " "
 Land rolling & 1st rate. Timber. Oak. Beech. Sugar. Linn
 Poplar. Ash. Walnut. Linn. Elm. &c. Undergth Spice & Pawpaw.

South On East Boundary of Sec. 30. T. 36. N. R. 2. E.

20 00 An Indian Trail. Cor. N. by E.

13. 29. An Elm 16. in. diam.

40. 00 Set a $\frac{1}{4}$ Sec. post from which a
 Sugar 15. in. diam. bears S. 65. W. 29. links dist. and a
 Linn 9. " " " N. 26. W. 7. " "

42. 46. W. Oak 28. in. diam.

80. 00 Town Corner.

Land &c. similar to the last mile.

August 28th. 1833.

var. 5. 42. E.

Surveyed by (D. S.
 Robert Clark Junr.

Subdivision.

North Between Sec. 32. & 33.

4. 99 A B. Ash 19. in. diam.

12. 44. A Buck 18. " "

24. 76. A Dr. 19. " "

34. 14. A Linn 30. " "

40. 00 Set a $\frac{1}{4}$ Sec. post from which a

B. Ash 19. in. diam. bears N. 89. W. 30. links dist. & a

Buck 14. " " " N. 21. E. 18. " "

42. 82. An Elm 26. " "

53. 18. An Ironwood 6. in. diam.

59. 73 A B. Ash 18. " "

76. 14. A B. Ash 8. " "

Surveyed by

80. 00 Set a Post Cor to Sec. 28. 29. 32. & 33. from which a
 B. Ash 14. in. diam. bears S. 7. E. 18. links dist. & a
 " Do. 20. " " " N. 53. W. 20 " "
 Land hilly & 2nd rate. Timber. Ash. Poplar. Elm. Sugar.
 and Ironwoods.

East On a Random between Sec. 28. & 33.

50. 00 Enter Pallow & Tam. Swamp.

77. 00 Leave Do. " "

50. 23. Intersect Michigan Road Lands 83. links North of the Post.
 Cor. of Sec. 27. & 34
 Land except swamp same as last mile.

West Corrected between Sec. 28. & 33.

35. 51. A B. Ash. 24. in. diam.

40. 11 1/2. Set a q^r Sec. post as area dist. from which a
 B. Ash 18. in. diam. bears N. 84. E. 21. links dist. and a
 " Do. 10. " " " S. 47. W. 30. " "

54. 23. An B. Oak 38. in. diam.

72. 50. A " Do. 30. " "

80. 23. To Sec. Corner.

North Between Sec. 28. & 29.

19. 89. A Lymx 14. in. diam.

40. 00 Set a q^r Sec. post. from which an
 Elm 30. in. diam. bears S. 57. E. 5. links dist. and a
 Beech. " " " N. 57. W. 28. " "

45. 80. A Poplar 4. in. diam.

58. 97. A Beech 20. " "

68. 83. A Do 10. " "

79. 23. Intersected at Post cor. of Sec. 21. & 28. Michigan Road Lands
 from which a
 B. Ash 36. in. diam. bears N. 11. W. 20. links dist. & a
 " Do 14. " " " S. 1. W. 27. " "
 Land hilly & 2nd rate. Timber. Beech. Sugar. Ash. Walnut.
 Elm. &c. Undergrowth Ironwoods & Sugar.

T. 36. N. R. 2. E 2nd Mer. Indiana.

1000 Between Sec. 31. & 32.
 0. 04. A Sugar 20. in. diam.
 20. 95. A W. Oak 20. " "
 20. 23. A B. Ash 18. " "
 40. 00 Set a $\frac{1}{4}$ Sec. post. from which an
 Elm 12. in. diam. bears S. 15. E. 27. links disty & a
 Do. 14. " " " N. 15. W. 15. " "
 58. 84. An B. Oak 54. in. diam.
 62. 04. A Stream 10. links wide. Cor. N. W.
 72. 50. Enter Millen Swamp.
 80. 00 Set a Post Cor. to Sec. 29. 30. 31. & 32. from which an
 Elm 11. in. diam. bears N. 49. W. 7. links disty and a
 Do. 6. " " " S. 14. W. 27. " "
 Land hilly and moderate, Timber. Ash Sugar. Elm. Oak.
 B. Walnut. Ironwood. & Spruce. May 20. 1834.

East On a Random between Sec. 29. & 32.
 4. 00 Leave the Swamp.
 79. 92 Intersect the N. & S. line at Post.
 Land &c. same as last mile.

West Corrected between Sec. 29. & 32.
 1. 42. A Buck 22. in. diam.
 4. 70. A Sugar 20. " "
 19. 44. A Buck 20. " "
 27. 03. An B. Oak 32. " "
 39. 90. Set a $\frac{1}{4}$ Sec. post from which a
 Sugar 32. in. diam. bears S. 54. E. 15. links disty & a
 Buck 20. " " " N. 14. W. 43. " "
 48. 20. A Sugar 25. " "
 60. 83. A W. Oak 12. " "
 79. 92 To the Corner.

West On a Random between Sec. 30. & 31.
 20. 20. A Stream 12. links wide. Cor. N. W. & Leave the swamp.
 78. 85. Intersect the West Boundary 10. links S. of the Post.

Land, &c. same as last mile

- East Corrected between Sec. 30. & 31. Bearings
 A Buck 15. in. diam. bears N. 78. E. 5. links dist. and a
 Do. 15. " " " S. 7. E. 31. " "
 1. 53. A Poplar 30. " "
 21. 29. A Sugar 18. " "
 38. 85. Set a q. Sec. post from which a
 Sugar 18. in. diam. bears N. 51. W. 38. links dist. & an
 Elm 10. " " " S. 55. E. 31. " "
 48. 30 A B. Ash 22. in. diam.
 65. 93. A Sm. Ash 5. " "
 78. 85 To the Corner.

North Between Sec. 29. & 30.

3. 03. A Brook 10. links wide. Cor. N. W. & Leave the swamp.
 9. 23. A Swamp Ash 25. in. diam.
 21. 45. A Cherry 9. " "
 29. 05. A B. Ash 21. " "
 40. 00 Set a q. Sec. post from which a
 Buck 21. in. diam. bears N. 53. W. 10. links dist. and a
 Do. 30. " " " N. 72. E. 14. " "
 53. 10. A Buck 11. in. diam.
 58. 24. A Poplar 30. " "
 67. 45. A Sugar 30. " "
 74. 59. A Do. 20. " "
 80. 00 Marked an Elm 18. in. diam. for the Cor. of Sec. 19. 20. 29. & 30.
 Land, hilly. except the swamp - soil 2nd rate. Timber, Buck
 Sugar. Elm. Lynn. Ironwood, & Spice.

East Between Sec. 20. & 29.

3. 97. An Elm 25. in. diam.
 10. 35. A Buck 14. " "
 25. 40. A B. Ash 21. " "
 31- 85. An Elm 25. " "
 40. 00 Set a q. Sec. post from which a

- Buck 26. in. diam. bears N. 3. E. 25. links disty & a
 Do 8. " " " S. 39. E. 1. " "
51. 12 A B. Ash 9. in. diam.
 57. 04 A Sugar 34. " "
 30. 20 Set a Post on the West side of Sec. 24. N. R. 2. E. from which a
 Buck 14. in. diam. bears N. 7. W. 23. links disty & a
 Measured South 97. links to the S. W. Cor. of said Sec.
 Land &c. same as last mile.

- West On a Standon between Sec. 19. & 30.
 35. 00 Enter Miller Swamp.
 44. 00 Leave Do. "
 78. 02. Intersect the West Boundary 13. links South of the Post.
 Except Swamp. Land &c. same.

- East Cornered between Sec. 19. & 30.
 Bearings for Sec. 19. & 30.
 A Buck 10. in. diam. bears N. 44. E. 35. links disty & a
 " Do 8. " " " S. 41. E. 25. " "
 14. 04 A B. Ash 30. " "
 27. 77. A Buck. 11. " "
 38. 02. Set a 1/4 Sec. post from which a
 B. Alder 4. in. diam. bears S. 1. W. 43. links disty and a
 B. Gum 30. " " " S. 18. W. 22. " "
 48. 03. A Poplar 30. in. diam.
 59. 03. A Sugar. 30. " "
 68. 11. A Buck 14. " "
 78. 02 To the Corner

- North Between Sec. 19. & 20.
 13. 94 A Buck 30. in. diam.
 23. 34 A Gum 20. " "
 34. 47 A Poplar. 50. " "
 40. 00 Set a 1/4 Sec. post from which a
 Sugar 30. in. diam. bears N. 45. E. 5. links disty & a
 Buck 9. " " " S. 69. W. 15. " "

50. 70 A Buck 12. in. diam.
 61. 90. An Elm 30. " "
 69. 97 A Blue Ash 12. in. "
 80. 00 Set a Post Cor. to Sec. 17. 18. 19. & 20 from which a
 Buck 14. in. diam. bears S. 72. E. 40 links dist. and a
 Dr. 8. " " " N. 87 $\frac{1}{2}$ W. 42. " "
 Land hilly & 2nd rate. Timber. Sugar. Buck. Poplar. Ash.
 Elm. Gynn. Ironwood & Spice.

- East Between Sec. 17. & 20.
 11. 13 A B. Ash 12. in. diam.
 22. 48. An Elm 44. " "
 32. 41. A B. Ash 14. " "
 40. 00 Set a q. Sec. post from which a
 Gynn 8. in. diam. bears N. 44. W. 15 links dist. & a
 Poplar 22. " " " S. 29. E. 32. " "
 49. 34. A Do. 35. " "
 59. 11. A Sugar 22. " "
 60. 10. Set a Post on the West side of Sec. 21. N. R. 2. E. Cor. to Sec. 17 & 20.
 from which an
 Ro. Oak 10. in. diam. bears S. 38. W. 42 links dist. & a
 Gynn 23. " " " N. 54. W. 12. " "
 Measured 67 links. to the N. W. Cor. of Said Sec.
 Land &c. same as last mile.

- North Between Sec. 17. & 18.
 5. 82. A Poplar 34. in. diam.
 22. 26. A B. Ash 24. " "
 25. 94. A W. Oak 28. " "
 40. 00 Set a $\frac{1}{4}$ Sec. post from which a
 Sugar 24 in. diam. bears S. 54. W. 50 links dist. & a
 Hickory 5. " " " S. 38. E. 17. " "
 49. 84. A B. Ash 24. in. diam.
 58. 31. A B. Walnut 18. " "
 79. 38. Set a Post on the South side of Sec. 7. Michigan Road, Land
 Cor. of Sec. 17. & 18. from which a

T 36. N. R. 2. E. 2nd Mer. Indiana.

Hickory 8. in. diam. bears S. 69. W. 14. links dist. & a
 Poplar 8. " " " S. 42. E. 55. " "
 Measured East 33. links to the Cor. of Third Sec.
 Land &c. same as last mile.

West On a Random between Sec. 18. & 19.
 78. 31. Intersect the West Boundary 4. links S. of the Post.
 Land hilly & 2nd rate. Timber. Buck Sugar. Oak. Elm
 Ash. Poplar. Dogwood & Ironwood.

East. Corrected between Sec. 18. & 19.
 Bearing trees for " " " "
 A W. Oak 7. in. diam. bears S. 58. E. 11. links dist. & a
 Buck 22 " " " N. 20. E. 48. " "
 15. 70. A Sugar 28. " "
 19. 91 A B. Ash 28. " "
 27. 93 A Poplar 42 " "
 38. 31. To a gr. Sec. Post, from which a
 Lynn 20. in. diam. bears S. 73. E. 18. links dist. & a
 Buck 8. " " " N. 22. E. 40. " "
 42. 70 A Hickory 22. in. diam.
 64. 59. An R. Oak 24. " "
 78. 31. To Sec. Corner.

May 27th 1834.Surveyed by
David Hillis D.S.

I certify that the foregoing transcript of the field notes
 of Township N 36 North of Range N 2 East 2nd Mer. Ind.
 has been compared with the original notes in this Office
 and found to be correct.

Surveyor General's Office.

Surveyor Genl.

Cincinnati Oct. 30. 1842.

Relinquished Road lands to come in here

Survey of Relinquished "Michigan Road Lands."

East On Random, South boundary of Sec. 36; T36NR2E.

33.50 Enter Swamp

80.40 Intersected Township corner 30 lks. N. of post.

Land level 2^d rate & wet, Poplar, R. Oak, Lymn, Elm, W. Walnut, Cherry - Sassafras, Aspen, P. Ash - In Swamp, Tamarack & coarse grass

West Corrected South boundary of Sec. 36

40.20 Set g^t Sec. post in Swamp

55.50 Maple 18 in^t diam^t.

80.40 Section corner

North Between Sections 35 & 36

21.20 Red Oak 12 in^t diam^t.

36.00 Blk Alder pond

40.00 Leave same

40.25 Set g^t Sec. post, from which a

Poplar 15 in^t diam^t bears N 36 W 13 lks.

Swp. Oak 12 " " " S 87 E 10 lks.

59.10 Red Oak 20 in^t diam^t.

73.04 Maple 8 " "

80.50 Set post corner to Sect. 25, 26, 35, 36, from which

a Sugar 10 in^t diam^t bears S 31 W 32 lks.

Swp. Oak - " " " N 16 E 28 lks.

Land as last mile, with Sugar & W. Oak

East Random between Sect. 25 & 36

36.50 Blk. Alder pond

37.50 Over same

80.00 Intersected 80 lks. North of post - Land same

West Corrected between Sect. 25 & 36

40.00 Set g^t Sec. post, from which a

Lymn 6 in^t diam^t bears S 10 W 15 lks.

Ironwood 8 " " " N 72 W 42 lks.

ch^d. lk.63.50 Maple 6 in^d. diam.74.30 Red Oak 8 in^d. diam.

80.00 Section corner

North Between Sections 25 & 26

40.15 Set of Sec. post, from which a

W. Oak 30 in^d. dia. bears S 55 W 30 lk.

Do 10 " " " S 67 E 60 lk.

58.06 Elm 8 in^d. diam.

71.10 Maple 12 " "

80.30 Set post corner to Sec^s 23, 24, 25, 26, from which
a Cherry 15 in^d. dia. bears N 51 W 15 lk.

Hickory 5 " " " S 61 E 26 lk.

Land same as last line, with some small marsh.

East Random between Sec^s 24 & 25

79.10 Intersected 20 lk. N. of post - Land same

West Corrected between Sec^s 24 & 2539.00 Maple 16 in^d. dia.

39.55 Set of Sec. post, from which an

Ash 12 in^d. dia. bears S 89 W 31 lk.

W. Oak 6 " " " N 33 E 18 lk.

60.35 W. Oak 20 in^d. dia.

79.10 Section corner

North Between Sec^s 23 & 24

40.17 Set of Sec. post, from which a

Poplar 12 in^d. dia. bears S 28 W 16 lk.

W. Oak 20 " " " N 42 W 38 "

43.80 Poplar 18 in^d. dia.

45.30 Do 10 " "

80.34 Set post corner to Sec^s 13, 14, 23, 24, from which
a Hickory 10 in^d. dia. bears S 74 W 48 lk.

Beech 12 " " " N 6 E 27 lk.

Land same.

Ch. lks.

East Random between Secs. 13 & 24

78.60 Intersected 40 lks. N. of post - Land same, with willow ponds.

West corrected between Secs. 13 & 24

39.30 Set gr. Sec. post, from which a
W. Oak 8 in. dia. bears S 86 W. 18 lks.
Do 10 " " " N 68 W 35 lks
78.60 Section corner.

North Random through Sec. 24, from gr. Sec. post on South side.

80.20 Intersected 20 lks. E. of post - Land same.

East Random through Sec. 24, from gr. Sec. post on West side.

79.00 Intersected at post - Land same

Set post at center of Sec. 24 at intersection of straight lines from gr. post to gr. post, -
elm 10 in. dia. bears N 26 W 3 lks.
Do. 10 " " " S 40 E 17 lks.

North Through Middle of Sec. 24, from gr. post S. side
.50 an elm 10 in. diam.

3.00 a Poplar 15. "

5.10 a Hickory 12. "

30.00 an Elm 12 " "

40.10 Center post

West Through Middle of Sec. 24, from gr. post E. side

5.15 a Cherry 10 in. dia.

9.00 a R. Oak 48 " "

15.06 a Poplar 10 " "

30.08 a W. Oak 24. "

39.00 Center post.

East Random between Secs. 27 & 34

ch. sk.

9.00 Enter Tamarack Swamp

15.00 Leave do

30.00 Enter Swamp

40.25 gr. Section post in Swamp, from which a
Maple 18 in. dia. bears N 28 E 1.22 lks.

W. Oak " " " S 8 E 1.96 lks.

Land - 30 ch. on West, rolling 2^d rate - W. &
B. Oak, Beech - briars & Sassafras

West corrected between Sec. 27 & 34

20.80 W. Oak 10 in. diam.

40.25 Section Corner

North Between Sec. 27 & 28

40.22 Set of Sec. post, from which an
Ironwood 6 in. dia. bears N 55 E 14 lks.

Grey Ash 6 " " " S 55 W 24 lks.

53.35 an Ironwood 8 in. dia.

61.10 Grey Ash 12 " "

80.44 Set post corner to Sections 21, 22, 27, 28, from which
a Red Elm 10 in. dia. bears S 11 E 36 lks.

Beech 14 " " " N 19 W 14 lks.

Rolling 2nd rate - Red & W. Oak, Poplar, Beech,
ash, Ironwood; Sassafras, briars &c. Eli Moore's
improvement in W 1/2 of NW 1/4 of Sec. 27

East Random between Sec. 22 & 27

25.00 Enter Tamarack Swamp

35.00 Leave same

81.00 Section corner - Land same, except Swamp.

West corrected between Sec. 22 & 27

11.15 a Beech 6 in. dia.

40.50 Set of Sec. post from which an
Ironwood 5 S 62 E 12 lks.

W. Oak 24 S 64 W 11 lks. dist.

Ch. Ck.

43.40 an helm 18 in. dia.

81.00 Section corner

South Random through middle of Sec. 27, from g. post N. side

46.00 Enter Tamarack Swamp

80.50 Intersected at g. Sec. post on south side

Land same - with Tamarack & Maple Swamp

North Corrected through Sec. 27.

45.25 a W. Oak 24 in. diam.

52.22 do 10 " "

68.80 Birch 12 " "

80.50 To g. Sec. post on north side

North Between Sect. 22 & 23

23.25 a W. Oak 8 in. dia.

40.23 Set g. Sec. post, from which a

Red oak 20 in. dia. bears S 25 W 11 Ck.

do 15 " " " S 35 E 25 "

Land same, except Swamp - Henry Hardy's improvement in E 1/2 of S E 1/4 of Sec. 22

North Between Sect. 21 & 22

13.00 Enter Tamarack Swamp

38.00 Leave same

40.10 Set g. Sec. post, from which an

Ironwood 8 in. dia. bears S 84 E 34 Ck.

W. Oak 36 " " " N 47 W 44 "

Land same, with Tamarack & Maple Swamp

East Random through middle of Sec. 22, from g. post W. side

60.00 Enter Tamarack Swamp

78.00 Leave same

81.10 Intersect N. & S. line 30 Ck. south of post

Land same

164

T. 36 N. R. 10 E. 2nd Mer. Ind.

ch. Lk.

West Corrected through middle of Sec. 22

22.85 a W. Oak 10 in. dia.

47.70 a Birch 18 " "

81.10 Section Corner.

East Random between Sec. 21 & 28

1.00 Entered Blk. Ash swamp

6.00 To pond

10.50 Through pond & leave swamp

12.50 To pond

28.00 over same

35.00 a brook 12 Lk. wide, South

80.72 Section Corner.

Said same as dry part of last, with some Sugar,
Blk. ash, and ponds

West Corrected between Sec. 21 & 28

40.36 Set of Sec. post from which a

Poplar 30 in. dia. bears N 78 W 40 Lk.

Do 36 " " " S 46 E 29 Lk.

60.54 Set S.E. corner of W 1/2 of S.W. 1/4 of Sec. 21, from which

a Birch 8 in. dia. bears S 12 E 42 Lk.

Do 10 " " " N 40 W 62 Lk.

80.72 Section corner.

East Random through middle of Sec. 21, from of. post on West side

Intersected N & S. line 25 Lk. North of of. Sec. post

South Random through middle of Sec. 21, from of. post on N. side

Intersected South boundary 10 Lk. East of of. Sec. post

Set temporary center post to Sec. 21, and at

average distance therefrom set post for N.E.

corner of the W 1/2 of the S.W. 1/4 of Sec. 21 from which

a Hickory 6 in. dia. bears S 59 E 20 Lk.

hop. Oak 8 " " " N 28 W 42 Lk.

T. 36 N. R. 2 E. 2nd Mer. Ind. a 165
ch^d. Dr.

West corrected on North end of W¹/₂ of S.W¹/₄ Sec. 21

31.40 a Sugar 18 in^d. dia.

40.78 Dr. Section post

Good 2^d. rate land - timber as on other lines

North corrected on E. side of W¹/₂ of S.W¹/₄ of Sec. 21

1.00 To pond - offset West & ch^d. - North 7 ch^d.

8.00 East 4 ch^d. into line & over pond

8.25 a Poplar 12 in^d. dia.

15.06 Beech 14 " "

35.10 Beech 8 " "

40.23 N.E. corner of W¹/₂ of S.W¹/₄ of Sec. 21

Land same as last line.

The witness, or bearing trees, from which the work in several instances, commenced, I found to correspond with those furnished me by the Surveyor General's Office.

I do hereby certify that in pursuance of the instructions of Wm. Johnston, Surveyor General of the U. States, for the States of Ohio, Indiana & Michigan, bearing date the 23^d. of Feb. 1844, and in strict conformity to said instructions, I have surveyed the foregoing tracts of land in Township 36 N. in Range 2 E. 2^d prin. Mer. Indiana; and I do further certify that the foregoing are the true and original field notes of said survey, executed as aforesaid.

Certified this 14th. Day of March 1844

Ch. W. Catheart

Dep. Sur.

John Moor }
H. Hathaway } Chairmen
Henry Hardy - Marker

I certify that the foregoing transcript of
the field notes of Township 36 N. in Range
2 E. 2nd Principal Meridian, Indiana, has
been compared with the original notes
in this office, and found to be correct.
William Johnston
Surveyor Genl.

Surveyor General's Office }
Cincinnati Jan. 5. 1844 }